FOR ANY EMERGENCY, 24 HOURS / 7 DAYS, CALL:

FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC®:

FOR ALL SDS QUESTIONS & REQUESTS, CALL:

1-800-654-6911 (OUTSIDE USA: 1-423-780-2970) 1-800-424-9300 (OUTSIDE USA: 1-703-527-3887) 1-800-511-MSDS (OUTSIDE USA: 1-423-780-2347)

PRODUCT NAME: **E-Z Clor Algaecide 50** EPA Registration Number: 42177-35

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

<u>Supplier</u> SCP Distributors LLC 109 Northpark Boulevard ,	REVISION DATE: SUPERCEDES:	05/26/2015 12/12/2005
Covington, LA, 70433-5001 USA	MSDS Number: SYNONYMS:	00000024513
Telephone: +19858925521 Telefax: +19858921657 Web:	CHEMICAL FAMILY: DESCRIPTION / USE FORMULA:	None None established None established

Manufacturer Advantis Technologies 1200 Bluegrass Lakes Parkway Alpharetta, GA 30004 United States of America

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification		
Flammable liquids	:	Category 3
Acute toxicity (Oral)	:	Category 4
Skin corrosion	:	Category 1B
Serious eye damage	:	Category 1
Specific target organ toxicity - single exposure	:	Category 3 (Respiratory system)

SAFETY DATA SHEET

GHS Label element Hazard pictograms	
Signal word	: Danger
Hazard statements	 H226 Flammable liquid and vapour. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H335 May cause respiratory irritation.
Precautionary statements	 Prevention: P210 Keep away from heat/sparks/open flames/hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. Response: P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. P363 Wash contaminated clothing before reuse. P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. Storage: P403 + P233 Store in a well-ventilated place. Keep container t

disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>CAS OR CHEMICAL NAME</u> QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-18-ALKY	<u>CAS #</u> 68391-01-5	<u>% RANGE</u> 45 - 55
ISOPROPYL ALCOHOL	67-63-0	7 - 13

SECTION 4. FIRST AID MEASURES

General Advice:	Call a poison control center or doctor for treatment advice. For 24-hour emergency medical assistance, call Arch Chemical Emergency Action Network at 1-800-654-6911. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
Inhalation:	IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
Skin Contact:	IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Eye Contact:	IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
Ingestion:	IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
Notes to Physician:	Probable mucosal damage may contraindicate the use of gastric lavage.

SECTION 5. FIREFIGHTING MEASURES

Flammability Summary (OSHA): Combustible material

Flammable Properties Flash Point:

45 °C closed cup

Fire / Explosion Hazards:	May be ignited by open flame. Vapors may form explosive mixture with air. Hazardous decomposition products formed under fire conditions.
Extinguishing Media: Fire Fighting Instructions:	Dry powder Foam Carbon dioxide (CO2) Water mist Use water spray to cool unopened containers. In case of fire, use normal fire-fighting equipment and the personal protective equipment recommended in Section 8 to include a NIOSH approved self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Protection for Emergency Situations:	Additional protective clothing must be worn to prevent personal contact with this material. Those items include but are not limited to boots, impervious gloves, hard hat, splash-proof goggles, impervious clothing, i.e., chemically impermeable suit, self-contained breathing apparatus.
Spill Mitigation Procedures	
Air Release:	Keep people away from and upwind of spill/leak.
Water Release:	If the product contaminates rivers and lakes or drains inform respective authorities.
Land Release:	Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).Do not contaminate ponds, waterways or ditches with chemical or used container.
Additional Spill Information :	Prevent further leakage or spillage if safe to do so. Use personal protective equipment as required. Evacuate personnel to safe areas. Remove all sources of ignition.

SECTION 7. HANDLING AND STORAGE

Handling:	Do not take internally. Avoid contact with skin, eyes and clothing. If in eyes or on skin, rinse well with water. Avoid breathing vapours, mist or gas. Ensure all equipment is electrically grounded before beginning transfer operations.
Storage:	Store in a cool dry ventilated location, away from sources of ignition or other incompatible conditions and chemicals. Keep container(s) closed. Do not freeze.
Incompatible Materials for Storage: Empty Container Warning:	Refer to Section 10, "Incompatible Materials." Empty containers retain hazardous residue, dispose of accordingly.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ventilation: Protective Equipment for Ro	Local exhaust ventilation or other engineering controls are normally required when handling or using this product to keep airborne exposures below the TLV, PEL or other recommended exposure limit. <u>utine Use of Product</u>
Respiratory Protection :	Wear a NIOSH approved respirator if levels above the exposure limits are possible., A NIOSH approved air purifying respirator with organic vapor cartridge and N95 particulate filter. Air purifying respirators should not be used in oxygen deficient or IDLH atmospheres or if exposure concentrations exceed ten (10) times the published limit.
Skin Protection :	Avoid contact with skin. Impervious gloves Boots Apron A full impervious suit is recommended if exposure is possible to a large portion of the body.
Eye Protection: Protective Clothing Type: General Protective Measures:	Chemical resistant goggles must be worn. Face-shield impervious clothing Ensure that eyewash stations and safety showers are close to the workstation location.

Components with workplace control parameters

Components (CAS-No.)	Value	Control parameters	Basis (Update)
ISOPROPYL ALCOHOL (67-63-0)	TWA	200 ppm	ACGIH (02 2014)
	STEL	400 ppm	ACGIH (02 2014)

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Form Color: Odor: Molecular Weight: pH :	liquid No data. No data. None established 6.0 - 8.0 () 100 g/l (as aqueous solution)
Boiling Point:	no data available
Melting point/freezing point	No data
Density	no data available
Bulk Density:	() no data available
Vapor Pressure:	32 hPa
Vapor Density: Viscosity:	no data available no data available

Solubility in Water: Partition coefficient noctanol/water: Evaporation Rate: Oxidizing: Volatiles, % by vol.: VOC Content HAP Content

No data no data available None established Not applicable 10 % Not applicable

No data.

SECTION 10. STABILITY AND REACTIVITY

Stability and Reactivity Summary: Conditions to Avoid: Chemical Incompatibility: Hazardous Decomposition Products: Decomposition Temperature: Stable under normal conditions. Heat, flames and sparks. Strong oxidizing agents, Reducing agents Carbon oxides, Hydrogen chloride gas, aromatic amines No data

SECTION 11. TOXICOLOGICAL INFORMATION

Component Animal Toxicology
Oral LD50 value:QUATERNARYNo dataAMMONIUM
COMPOUNDS,
BENZYL-C12-18-ALKYISOPROPYLLD50 = 5,045 mg/kgALCOHOL

Component Animal Toxicology
Dermal LD50 value:QUATERNARYNo dataAMMONIUM
COMPOUNDS,
BENZYL-C12-18-ALKYISOPROPYLLD50 = 13,000 mg/kgRabbit
ALCOHOL

Component Animal ToxicologyInhalation LC50 value:QUATERNARYNo dataAMMONIUMCOMPOUNDS,BENZYL-C12-18-ALKYISOPROPYLInhalation LC50 8 h = 16000 ppm RatALCOHOL

Oral LD Dermal Inhalatio value: Skin Irrit Eye Irrit		 LD50 = 760 mg/kg Rat LD50 > 1,700 mg/kg Rabbit no data available Corrosive to skin Corrosive to eyes This product has not been tested for skin sensitisation. However based on similar structured materials, this product is not expected to cause allergic skin 		
Acute T	oxicity [.]	sensitisation.	to all tissues contacted and upon inhalation, may cause	
	irritation to mucous membranes and respiratory tract. hronic / Chronic There are no known or reported effects from repeated exposure except those		nbranes and respiratory tract.	
		RY AMMONIUM S, BENZYL-C12-18-	This product has been tested for Subchronic toxicity in laboratory animals and no systemic toxicity or target organ effects occurred in the test animals.	
	uctive and omental Toxicity		rted to cause reproductive or developmental toxicity.	
QUATERNARY AMMONIL COMPOUNDS, BENZYL-0 ALKY		RY AMMONIUM	At high doses, maternal toxicity was observed. However, no developmental effects were observed.	
	ISOPROPYL	ALCOHOL	This material at concentrations above the occupational exposure limits has caused developmental effects in animals. However, these effects were observed only at those doses that resulted in maternal toxicity.	
Mutage	nicity:	Not known or repor	rted to be mutagenic.	
-		RY AMMONIUM S, BENZYL-C12-18-	This chemical has been tested and was shown to be non-mutagenic.	
	ISOPROPYL	ALCOHOL	This material has been shown not to be mutagenic based on a battery of assays.	
			known or reported to be carcinogenic by any reference RC, OSHA, NTP or EPA.	
		RY AMMONIUM S, BENZYL-C12-18-	The carcinogenicity has been evaluated through animal study and it was found not to be carcinogenic.	
	ISOPROPYL	ALCOHOL	The International Agency for Research on Cancer (IARC) has classified this product or a component of this product as a Group 3 substance, Unclassifiable as to Its Carcinogenicity to Humans.	

SECTION 12. ECOLOGICAL INFORMATION

Overview: Very toxic to aquatic life.

Ecological Toxicity Values - Product:

LC50 Believed to be approximately 0.116 mg/l (calculated)

Ecological Toxicity Values for: QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-18-ALKY

Bluegill sunfish	-	(static). 96 h LC50 = 0.52 mg/l
Rainbow trout (Salmo gairdneri),	-	(static). 96 h LC50 = 0.93 mg/l
Sheepshead minnow	-	(static). 96 h LC50 = 0.86 mg/l
Daphnia magna,		(static). 48 h EC50= 0.058 mg/l
Mysid shrimp	-	(static). 96 h LC50= 0.092 mg/l

Ecological Toxicity Values for: ISOPROPYL ALCOHOL

Bluegill Pimephales promelas (fathead		(nominal, static). 96 h LC50 > 1,400 mg/l (measured, flow-through) 96 h LC50 10,400 mg/l
minnow)		
Mosquito fish		(nominal, static). 96 h LC50 > 1,400 mg/l
Daphnia magna,	-	(nominal, static). 24 h EC50 9,714 mg/l
Common shrimp (Crangon crangon)	-	(nominal, renewal). 48 h LC50 1,400 mg/l

SECTION 13. DISPOSAL CONSIDERATIONS

CARE MUST BE TAKEN TO PREVENT ENVIRONMENTAL CONTAMINATION FROM THE USE OF THE MATERIAL. THE USER OF THE MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES.

Waste Disposal Summary :

If this product becomes a waste, it meets the criteria of a hazardous waste as defined under 40 CFR 261 and would have the following EPA hazardous waste number: D001.As a hazardous liquid waste it must be disposed of in accordance with local, state and federal regulations.

SECTION 14. TRANSPORT INFORMATION

DOT UN number Description of the goods

: 1760 : Corrosive liquids, n.o.s.

Class Packing group Labels Emergency Response Guidebook Number	 : (Quaternary ammonium compounds, benzyl-C12-16- alkyldimethyl, chlorides) : 8 : II : 8 : 154
TDG UN number Description of the goods Class Packing group Labels	 1760 CORROSIVE LIQUID, N.O.S. (Quaternary ammonium compounds, benzyl-C12-16- alkyldimethyl, chlorides) 8 II 8
IATA UN number Description of the goods	 : 1760 : Corrosive liquid, n.o.s. (Quaternary ammonium compounds, benzyl-C12-16-
Class Packing group Labels Packing instruction (cargo aircraft) Packing instruction	alkyldimethyl, chlorides) : 8 : II : 8 : 855 : 851
Packing instruction (passenger aircraft) Packing instruction (passenger aircraft)	: Y840
IMDG-CODE UN number Description of the goods	 : 1760 : CORROSIVE LIQUID, N.O.S. (Quaternary ammonium compounds, benzyl-C12-16- olluddimethyl, oblaridae)
Class Packing group Labels EmS Number 1 EmS Number 2	alkyldimethyl, chlorides) : 8 : II : 8 : F-A : S-B
Marine pollutant	: yes

SECTION 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals.

Signal word Hazard statements	:	DANGER! May be fatal if swallowed. May be fatal if absorbed through skin. May be fatal if inhaled. Corrosive. Causes skin burns. Corrosive. Causes irreversible eye damage. This pesticide is toxic to fish. This pesticide is toxic to aquatic invertebrates.
		This pesticide is toxic to aquatic invertebrates.

EPCRA - Emergency Planning and Community Right-to-Know Act

SARA 302

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know

SAFETY DATA SHEET

	Isopropanol	67-63-0
Pennsylvania Right To Know		
	n- alkyldimethylbenzylammoni um chloride	68391-01-5
	Isopropanol	67-63-0
New Jersey Right To Know		
	n- alkyldimethylbenzylammoni um chloride	68391-01-5
	Isopropanol	67-63-0
California Prop 65		

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

TSCA	:	This p
		Fungi
		consi

This product is regulated under the Federal Insecticide, Fungicide and Rodenticide Act. It must be used for purposes consistent with its labeling.

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION

SECTIONS REVISED:	First formulated version in SAP.
Major References :	Available upon request.

THIS MATERIAL SAFETY DATA SHEET (MSDS) HAS BEEN PREPARED IN COMPLIANCE WITH THE FEDERAL OSHA HAZARD COMMUNICATION STANDARD, 29 CFR 1910.1200. THE INFORMATION IN THIS MSDS SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. ARCH CHEMICALS BELIEVES THIS INFORMATION TO BE RELIABLE AND UP TO DATE AS OF THE DATE OF PUBLICATION BUT, MAKES NO WARRANTY THAT IT IS. ADDITIONALLY, IF THIS MSDS IS MORE THAN THREE YEARS OLD, YOU SHOULD CONTACT ARCH CHEMICALS MSDS CONTROL AT THE PHONE NUMBER ON THE FRONT PAGE TO MAKE CERTAIN THAT THIS DOCUMENT IS CURRENT.